


Medical Consequences of Homosexuality



Parental Discretion Advised

Romans 1:24-32 Wherefore God also gave them up to uncleanness through the lusts of their own hearts, to dishonour their own bodies between themselves: ⁽²⁵⁾ Who changed the truth of God into a lie, and worshipped and served the creature more than the Creator, who is blessed for ever. Amen. ⁽²⁶⁾ For this cause God gave them up unto vile affections: for even their women did change the natural use into that which is against nature: ⁽²⁷⁾ And likewise also the men, leaving the natural use of the woman, burned in their lust one toward another; men with men working that which is unseemly, and receiving in themselves that recompence of their error which was meet. ⁽²⁸⁾ And even as they did not like to retain God in *their* knowledge, God gave them over to a reprobate mind, to do those things which are not convenient; ⁽²⁹⁾ Being filled with all unrighteousness, fornication, wickedness, covetousness, maliciousness; full of envy, murder, debate, deceit, malignity; whisperers, ⁽³⁰⁾ Backbiters, haters of God, despiteful, proud, boasters, inventors of evil things, disobedient to parents, ⁽³¹⁾ Without understanding, covenantbreakers, without natural affection, implacable, unmerciful: ⁽³²⁾ Who knowing the judgment of God, that they which commit such things are worthy of death, not only do the same, but have pleasure in them that do them.

Medical Consequences of What Homosexuals Do

The following report is not pleasant reading; however, we feel the facts on homosexuality must be exposed and discussed. Permission has been granted by Dr. Paul Cameron, Chairman, Family Research Institute, P.O. Box 2091, Washington, DC 20013* to reproduce the following excerpts from the pamphlet *Medical Consequences of What Homosexuals Do*:

Throughout history, all civilizations and all major religions have condemned homosexuality. In the American colonies, homosexual acts were a capital offense. Thomas Jefferson, a more liberal American thinker, said that homosexuality "should be punished, if a man, by castration, if a woman, by cutting through the cartilage of her nose a hole of one-half inch in diameter at least." Until 1961 homosexual acts were illegal throughout America.

Gays claim that the "prevailing attitude toward homosexuals in the U.S. and many other countries is revulsion and hostility. ...for acts and desires not harmful to anyone." The **American Psychological Association** and the **American Public Health Association** assured the U.S. Supreme Court in 1986 that "no significant data show that engaging in ...oral and anal sex, results in mental or physical dysfunction."

Is the historic stance against homosexuality merely one of prejudice? Is homosexual behavior really as harmless as gays and health professionals assert?

Homosexual Activities (in %)

	US ¹⁶	US ¹³	US ⁴	US ¹⁸	Den-	US ¹⁹	Lon-	Sydney ²⁶
	1940s	1977	83/84	1983	mark ²⁰	1983	1985	1991
	ever	ever	ever	in yr	in yr.	in mo	in mo.	last 6 mo
oral/penile	83	99	100/99	99	86		67	
anal/penile	68	91	93/98	95	92	95	100	
oral/anal	59	83	92/92	63		69	89	55/65
urine sex	10	23	29/					
fisting/toys		22	41/47	34			63	
eating feces		4	8					
enemas		11	11					
torture sex		22	37	37				
public/orgy sex		61	76	88				
sex with minors		37	23	24/				

What Homosexuals Do

The major surveys on homosexual behavior are summarized below. Two things stand out:

- 1) homosexuals behave similarly world-over, and
- 2) modest changes in behavior have accompanied the AIDS epidemic.

● **Oral sex:** Homosexuals fellate almost all of their sexual contacts (and ingest semen from about half of these). Semen contains many of the germs carried in the blood. Because of this, gays who practice oral sex verge on consuming raw human blood with all its medical risks. Since the penis often has tiny lesions (and often will have been in unsanitary places such as a rectum), individuals so involved may become infected with hepatitis A or gonorrhea (and even HIV, hepatitis B and hepatitis C). Since many contacts occur between strangers (70% of gays estimated that they had had sex only once with *over half* of their partners), and gays average somewhere between 10 and 110 *different* partners/year, the potential for infection is considerable.

● **Rectal sex:** Surveys indicate that about 90% of gays have engaged in rectal intercourse, and about two-thirds do it regularly. In a 6-month long daily sexual diary study, gays averaged 110 sex partners and 68 rectal encounters a year.

Rectal sex is dangerous. First, the anus must be lubricated enough to allow penetration of the penis. Often fingers and/or tongue are used to stretch and moisten the opening. And either the partner's saliva or an artificial lubricant is applied. Saliva, however, contains many germs foreign to the rectum. So during rectal intercourse the rectum becomes a mixing bowl for: 1) saliva and its germs and/or some artificial lubricant, 2) the recipient's own feces, 3) whatever germs, infections or substances the penis has on it, and 4) the seminal fluid of the inserter. Since sperm readily penetrate the rectal wall (which is only one cell thick) causing immunologic damage, and tearing or bruising the anal wall is very common during anal/penile sex, these substances gain almost direct access to the blood stream. Unlike heterosexual intercourse (in which sperm

cannot penetrate the multilayered vagina and no feces are present), rectal intercourse is probably the most sexually efficient way to spread hepatitis B & C, HIV, syphilis and a host of other blood-borne diseases.

Tearing or ripping of the anal wall during anal/penile sex is especially likely with "fisting," where the hand and arm is inserted into the rectum. It is also common when "toys" are employed (homosexual lingo for objects which are inserted into the rectum — bottles, carrots, even gerbils). The risk of contamination and/or having to wear a colostomy bag from such "sport" is very real. Fisting was apparently so rare in Kinsey's time that he didn't think to ask about it. By 1977 well over a third of gays admitted to it. The rectum was not designed to accommodate the fist (or little gerbils), and those who do so can find themselves consigned to diapers for life.

● **Fecal sex:** About 80% of gays (see Table) admit to licking and/or inserting their tongues into the anus of partners and thus ingesting medically significant amounts of feces. Those who eat or wallow in it are probably at even greater risk. In the diary study, 70% of the gays had engaged in this activity — half regularly — over 6 months. Result? — the "annual incidence of hepatitis A in ...homosexual men was 22 per cent, whereas no heterosexual men acquired hepatitis A." A 1992 report noted that the proportion of London gays engaged in rimming had not declined since 1984.

While the body has defenses against fecal germs, exposure to the discharge of dozens of strangers each year is extremely unhealthy. Ingestion of human waste is the major route of contracting hepatitis A and the enteric parasites collectively called the **Gay Bowel Syndrome**. Consumption of feces has also been implicated in the transmission of typhoid fever, herpes, and cancer. About 10% of gays have eaten or played (e.g., enemas, wallowing) with feces. The San Francisco Department of Public Health saw "75,000 patients per year, of whom 70 to 80 per cent are homosexual men. ... An average of 10 per cent of all patients and asymptomatic contacts reported ... because of positive fecal samples or cultures for ameba, giardia, and shigella infections were employed as food handlers in public establishments; almost 5 per cent of those with hepatitis A were similarly employed." In 1976, a rare airborne scarlet fever broke out among gays and just missed sweeping through San Francisco. The U.S. Centers for Disease Control reported that 29% of the hepatitis A cases in Denver, 66% in New York, 50% in San Francisco, 56% in Toronto, 42% in Montreal and

26% in Melbourne in the first six months of 1991 were among gays. The Stockholm study "suggested that some transmission from the homosexual group to the general population may have occurred."

● **Urine sex:** About 10% of Kinsey's gays reported having engaged in "golden showers" (drinking or being splashed with urine). In the largest survey of gays ever conducted, 23% admitted to urine-sex. In the largest random survey of gays, 29% reported urine-sex. Of 655 gays, only 24% claimed to have been monogamous in the past year. Of these monogamous gays, 5% drank urine, 7% practiced "fisting," 33% ingested feces via anal/oral contact, 53% swallowed semen, and 59% received semen in their rectum in the previous month.

● Other Gay Sex Practices

Sadomasochism: as the Table indicates, a large minority of gays engage in torture for sexual fun.

Sex with minors: 25% of white gays admitted to sex with boys 16 or younger as adults. In a 9-state study, 33% of the 181 male, and 22% of the 18 female teachers caught molesting students did so homosexually (though less than 3% of men and 2% of women engage in homosexuality). Depending on the study, the percent of gays reporting sex in public restrooms ranged from 14% to 41% to 66%; 9%, 60%, and 67% reported sex in gay baths; 64% and 90% said that they used illegal drugs.

Fear of AIDS may have reduced the volume of gay sex partners, but the numbers are prodigious by any standard. Dr. Steven Morin reported that 824 gays had lowered their sex-rate from 70 different partners a year in 1982 to 50/year by 1984. McKusick reported declines from 76/year to 47/year in 1985.

Medical Consequences of Homosexual Sex

Death and disease accompany promiscuous and unsanitary sexual activity. 70% to 78% of gays reported having had a sexually transmitted disease. The proportion with intestinal parasites (worms, flukes, ameba) ranged from 25% to 39% to 59%. As of 1992, 83% of U.S. AIDS in whites had occurred in gays. The Seattle sexual diary study reported that gays had, on a yearly average:

- 1) fellated 108 men and swallowed semen from 48;
- 2) exchanged saliva with 96;
- 3) experienced 68 penile penetrations of the anus; and
- 4) ingested fecal material from 19.

No wonder 10% of them came down with hepatitis B and 7% contracted hepatitis A during the study.

Effects on the Lifespan

Smokers don't live as long as non-smokers, so we consider smoking harmful. The lifespan of homosexuals suggests that their activities are far more self-destructive than smoking.

5,371 obituaries from 16 U.S. homosexual journals were compared to a large sample of obituaries from regular newspapers. The obituaries from the regular newspapers were similar to U.S. averages for longevity: the median age of death of married men was 75 and 80% of them died old (age 65 or older). For unmarried or divorced men the median age of death was 57 and 32% died old. Married women averaged 79 at death; 85% died old. Unmarried and divorced women averaged 71 and 60% died old.

The median age of death for homosexuals, however, was virtually the same nationwide — and, overall, less than 2% survived to old age. If AIDS was the cause of death, the median age was 39. For the 588 gays who died of something other than AIDS, the median age of death was 42 and 9% died old. The 106 lesbians had a median age of death of 45 and 26% died old.

2.5% of gays died violently. They were 87 times more apt to be murdered; 25 times more apt to commit suicide; and had a traffic-accident death-rate 18 times the rate of comparably aged white males. Heart attacks, cancer and liver failure were exceptionally common. Twenty-one percent of lesbians died of murder, suicide, or accident — a rate 532 times higher than that of white females aged 25-44.

Examination of the age distributions of samples of homosexuals in the scientific literature from 1858 to 1992 suggests a similar pattern of longevity. AIDS has further reduced the gay lifespan, but their regular exposure to other health hazards assures shortened lives.


The Gay Legacy

Homosexuals rode into the dawn of sexual freedom and returned with a plague that gives every indication of destroying most of them. Those who treat AIDS patients are at great risk, not only from HIV infection, which, as of 1992 involved about 100 health care workers, but also from TB and new strains of other diseases. Those who are housed with AIDS patients are also at risk. Dr. Max Essex, chair of the Harvard AIDS Institute, warned congress in 1992 that if "AIDS is not eliminated, other new lethal microbes will emerge, and neither safe sex nor drug-free practices will prevent them." At least 5, and perhaps as many as 30 patients had been infected with HIV by health care workers as of 1992.

The Biological Swapmeet

The typical sexual practices of homosexuals are a medical horror story — imagine exchanging saliva, feces, semen and/or blood with dozens of different men each year. Imagine drinking urine, ingesting feces and experiencing rectal trauma on a regular basis. Often these encounters occur while the participants are drunk, high on drugs, and/or in an orgy setting. Further, many of them occur in extremely unsanitary places (bathrooms, dirty peep shows), or, because homosexuals travel so frequently, in other parts of the world. Every year, about a quarter of homosexuals visit another country. Fresh American germs get taken to Europe, Africa and Asia. And their fresh germs come here. Foreign homosexuals regularly visit the U.S. and participate in this biological swapmeet.

Unfortunately the danger of these exchanges does not merely affect homosexuals. Travelers carried so many tropical diseases to New York City that it had to institute a tropical disease center, and gays carried HIV from New York City to the rest of the world. Most of the 6,349 Americans who got AIDS from contaminated blood as of 1992 received it from homosexuals and most of the women in California who got AIDS through heterosexual activity got it from men who engaged in homosexual behavior. The rare form of airborne scarlet fever that stalked San Francisco in 1976 also started among homosexuals. There is a pattern here that we ignore at our peril. With the rise of these new contagious



diseases, homosexuality not only raises our medical costs, it also increases the hazards of medical care, receiving blood, and eating out.

Homosexuals are sexually troubled people engaging in dangerous activities. It is neither a kindness to those tempted by homosexuality, nor wise of us to encourage or legitimize such a destructive lifestyle.

(End of the Family Research Institute article.)

*The Family Research Report newsletter is US\$20/year. P.O. Box 2091, Washington, D.C. 20013.

Recommended Reading

The Homosexual Revolution, by David A. Noel. "A look at the Preachers and Politicians behind it." SC, 217 pp. \$8.00

Shadow in the Land, by U.S. Congressman Wm. Dannemeyer. "Homosexuality in America." SC, 243 pp. \$15.00

AIDS: What the Gov't Isn't Telling You, by Dr. Lorraine Day. The definitive work on the AIDS question (difficult to obtain in Canada). \$32.00

AIDS: Why It's Much Worse Than They're Telling Us And How to Protect Yourself and Your Loved Ones, by Dr. Wm. Campbell Douglass. It includes his open letter to 'Magic' Johnson. \$10.00

Extra copies of this 4-page report: 10 for \$2, 30 for \$5, 75 for \$10.

Order from: Canadian Intelligence Publications, 55 - 8th Ave. S.E., High River, AB T1V 1E8. Our prices include GST and postal charges.

Editorial Comment: We are not happy about republishing this brochure. We realize the information and facts revealed are disgusting and revolting to healthy, decent citizens. But so appalling and insidious, yet horrifying and deadly is this man-made plague and attack upon our people — upon every man, woman and child — that to possess this information and fail to ring the alarm and share it with our neighbours and community would be treason.

Indeed, the very life of every citizen and the survival of our nations are at stake!

Not too many years ago, if a person contracted scarlet fever, or even the measles, his family was quarantined until the disease was cleared up in order to protect the health and welfare of the community. This care and protection of neighbours and community was understood and overwhelmingly supported by our citizenry. Yet, to-

day the filthy sex perversion known as 'homosexuality' — a major cause of disease and the deadly killer, AIDS — not only calls for no 'quarantine' action in today's soft, decaying society, but the practitioners and carriers of this deadly plague against mankind are now lobbying and pressuring governments for the mantle of legitimacy, respectability, and protection to carry on their suicidal assault euphemistically referred to as merely 'an alternate lifestyle,' which in reality is but an obscene 'deathstyle.' Much of this filthy debauchery at public expense, no less!

Unfortunately, many of our politicians, media people and Establishment leaders, perhaps without understanding or intent, are condoning or even supporting this suicidal assault upon themselves and their community and country. We must have more understanding, informed and dedicated leadership if we are to win this battle. In wartime, when we are able to identify the external enemy, Canadians are prepared to exert every effort and make every sacrifice, even with the lives of our loved ones, to defend our country, our freedom and values.

Nothing less is now essential for our very survival, if we are to win this deadly assault from within our own borders.

What can we do? This is everyone's battle. For instance:

We can not only inform ourselves with books and literature, but get authentic information into the hands of our neighbours and encourage them to do likewise.

Order or photocopy extra copies of this 4-page report (yes, it's a 'shocker' but an eye-opener!), to get into the hands of friends and neighbours, local teachers, schoolboard members, councillors, clergy, community leaders — and above all, *parents*.

We're immediately undertaking a massive mailing to MPs, Senators, MLAs, daily and weekly editorial rooms, radio and TV stations, national columnists, etc. (Donations towards this project appreciated.) But only our readers can reach Grassroots Canada. We must win this battle or we'll have no future! Over to you.

The Canadian Intelligence Service is published monthly by Canadian Intelligence Publications, 55 - 8th Ave. S.E., High River, Alberta T1V 1E8. Subscription rates: one year - \$25, two years - \$48; airmail (Canada & USA): one year - \$30, two years - \$58. All other countries served by airmail only - \$35 a year. Second-class mail registration number 2027. Return postage guaranteed. Extra copies of this four-page report: 10 for \$2, 30 for \$5, 75 for \$10.

Immorality abounds everywhere. Licentiousness is the special sin of the age. Never did vice lift its deformed head with such boldness as now.-- T., V. II, p. 346. {HL 216.1}

A lethargy of unconscious sensualism, through indulgence of a perverted appetite, a constant submitting of soul and body and spirit to moral defilement, is upon the people. . . . And these lustful appetites, with their destroying power, have been transmitted from parents to children, and so intensified that the names of those who bear them are recorded in the books of heaven as transgressors of God's law.-- U.T., Jan. II, 1897. {HL 216.2}

Moral pollution has done more than every other evil to cause the race to degenerate. It is practised to an alarming extent, and brings on disease of almost every description. Even very small children, infants, being born with natural irritability of the sexual organs, find momentary relief in handling them, which only increases the irritation, and leads to a repetition of the act, until as habit is established which increases with their growth. These children, generally puny and dwarfed, are prescribed for by physicians, and drugged; but the evil is not removed. The cause still exists.-- T., V. II, p. 391. {HL 216.3}

Many might have been saved if they had been carefully instructed in regard to the influence of this practise upon their health. They were ignorant of the fact that they were bringing much suffering upon themselves.-- S. A., p. 55. {HL 217.1}

“Let the restraint imposed by the divine law be wholly removed, and human laws would soon be disregarded. Because God forbids dishonest practices, coveting, lying, and defrauding, men are ready to trample upon his statutes as a hindrance to their worldly prosperity; but the results of banishing these precepts would be such as they do not anticipate. If the law were not binding, why should any fear to transgress? Property would no longer be safe. Men would obtain their neighbor's possessions by violence; and the strongest would become richest. Life itself would not be respected. Those who disregard the commandments of God sow disobedience to reap disobedience. The marriage vow would no longer stand as a sacred bulwark to protect the family. He who had the power, would, if he desired, take his neighbor's wife by violence. The fifth commandment would be set aside with the fourth. Children would not shrink from taking the life of their parents, if by so doing they could obtain the desire of their corrupt hearts. The civilized world would become a horde of robbers and assassins; and peace, rest, and happiness would be banished from the earth.” {4SP 401.2}

1828 Webster's Dictionary—

SODOMY, n. A crime against nature.

Genesis 13:13 But the men of Sodom *were* wicked and sinners before the LORD exceedingly.

Jude 1:7 Even as Sodom and Gomorrha, and the cities about them in like manner, giving themselves over to fornication, and going after strange flesh, are set forth for an example, suffering the vengeance of eternal fire.

Act 3:19 Repent ye therefore, and be converted, that your sins may be blotted out